

## HEATMAX S1 HRO

#### **Breathable Safety footwear**

Heatmax is a reliable foundry boot offering upto 350°C protection for 1 minutes it also offer protections against acid, alkali, fat & most chemicals. Heatmax is ideal for electricians as it offers protection against live electricity

Upper	Apollo leather
Sole	Single Density Nitrile Rubber Black Outsole
Toecap	Steel
Lining	Mesh
Footbed	EVA Footbed
Safety category	EN ISO 20345 : 2011 & IS 15298 (Part 2): 2016
Sample weight	1350 gm. ± 50g.   Size 8.
Size range	UK 5-12

# BORN TOUGH BUILT RELIABLE



#### **GENERAL & UPPER**



ANKLE BOOT



LEATHER UPPER



BREATHABLE UPPER



LACE UP



ODOR REDUCING

#### TOE CAP



STEEL TOE



WIDE TOE CAP

#### LINING



TEXTILE LINING



AERATION HOLES TO REGULAR TEMPERATURE



CUSHION HEEL & ARCH SUPPORT

#### **SOLE**



SINGLE DENSITY



ABSORPTION





ACID ALKALI FAT RESISTANT SOLE



SOLE



SLIP RESISTANT



ELECTRICAL HAZARD





info@jcbfootwear.in www.jcbfootwear.in











### HEATMAX S1 HRO

#### Industries:

Engineering, Chemical, Foundry, Smelter, Automobile, Hot Zone

#### **Environments:**

Dry/Humid environment, Extreme slippery surfaces, Uneven surfaces, upto 350°C

#### **Maintenance instructions:**

To extend the life of your shoes, we recommend to clean them regularly and to protect them with adequate products. Do not dry your shoes on a radiator/Hair Dryer nor nearby a heat source. Clean your cleats regularly.

	Description	Measure unit	Result	15298(Part 2):2010 EN ISO 20345		
Upper Leather	Upper: Tear Strength	n/mm²	262	≥ 120		
	Upper: Tensile Strength	n/mm²	26	≥ 15		
	Upper: permeability to water vapor	mg/cm²/h	1.19	≥ 0.8		
	Upper: water vapor coefficient	mg/cm²	17.6	≥ 15		
Lining	3D-Mesh					
	Lining: permeability to water vapor	mg/cm²/h	31.1	≥ 2		
	Lining: water vapor coefficient	mg/cm²	180	≥ 20		
	Lining: abrasion resistance	25,600 Cycles	no hole	no hole		
Footbed	Footbed					
	Footbed: abrasion resistance	cycles	450	≥ 400		
Sole	SOLE: Nitrile Rubber					
	Outsole abrasion resistance (volume loss)	mm³	120	≤ 150		
	Flexing resistance (30,000 cycles)	mm	0.5	≤ 4		
	Upper outsole bond strength	n/mm	4.15	≥ 4.0		
	Outsole slip resistance SRA: heel	friction	0.30	≥ 0.28		
	Outsole slip resistance SRA: flat	friction	0.35	≥ 0.32		
	Electrical Insulative (ASTM) 2413	Kv	15 Kv/20 Kv	/ ≥ 15/20 Kv		
	Heel energy absorption	Joules	22	≥ 20		
	Resistance fuel oil	%	2.7	≤ 12		
Гоесар	Hot Contact at 350°C	Centigrade	No melt	No melt		
•	Impact resistance toecap (clearance after impact 200J)	mm	16.0	≥ 14		
	Compression resistance toecap (clearance after compression 15kN)	mm	14.7	≥ 14		

Our shoes are constantly evolving, the technical data above may change. All product names and brand JCB, are registered and may not to be or reproduced in any format, without written consent from us.







